

SAFETY DATA SHEET

1. Identification

Product identifier: AEROSIL® R 202

Other means of identification

Recommended use: Coating agent
Sealant
Reinforcing agent.
Cosmetics

Recommended restrictions: Not determined.

Manufacturer/Importer/Distributor Information

Company Name : Evonik Australia Pty Ltd
Suites 33&37
1 Ricketts Road
Mt Waverley, VIC 3149
Australia

Telephone : +61 3 8581 8400

Fax : +61 3 9544 5002

E-mail : sds-hu@evonik.com

Emergency telephone number:

24-Hour Health : +61 2 9037 2994
Emergency : +1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Classification according to GHS

Environmental Hazards

Chronic hazards to the aquatic environment Category 3

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Harmful to aquatic life with long lasting effects.

Precautionary Statements

- Prevention:** Avoid release to the environment.
- Disposal:** Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
- Other hazards:** No data available.

3. Composition/information on ingredients

Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) [*]
Silicones and siloxanes, dimethyl-, reaction products with silica		67762-90-7	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition information of impurities and stabilizers

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) [*]
octamethylcyclotetrasiloxane	No data available.	556-67-2	0.01 - <0.1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

- Inhalation:** In case product dust is released: Possible discomfort: cough, sneezing Move to fresh air.
- Skin Contact:** Wash off with plenty of water and soap.
- Eye contact:** Possible discomfort is due to foreign substance effect. Rinse thoroughly with plenty of water keeping eyelid open. In case of persistent discomfort: Consult an ophthalmologist.
- Ingestion:** Clean mouth with water and drink afterwards plenty of water. After absorbing large amounts of substance / In case of discomfort: Supply with medical care.

Personal Protection for First-aid Responders: No data available.

Most important symptoms and effects, both acute and delayed

Symptoms: None known.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: No hazards which require special first aid measures.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, foam, CO₂, dry powder. Adapt fire-extinguishing measures to surroundings

Unsuitable extinguishing media: Do not use full-force water jet in order to avoid dispersal and spread of the fire.

Special hazards arising from the substance or mixture: May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Water used to extinguish fire should not enter drainage systems, soil or stretches of water. Ensure there are sufficient retaining facilities for water used to extinguish fire. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters: In the event of fire, wear self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Avoid dust formation.

Accidental release measures: No data available.

Methods and material for containment and cleaning up: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Environmental Precautions: Do not allow entrance in sewage water, soil stretches of water, groundwater, drainage systems.

7. Handling and storage

Handling

Technical measures:	Ensure suitable suction/aeration at the work place and with operational machinery. Local ventilation if necessary.
Local/Total ventilation:	No data available.
Safe handling advice:	If necessary: Local ventilation. Handle in accordance with good industrial hygiene and safety practice. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.
Contact avoidance measures:	No data available.

Storage

Safe storage conditions:	Take precautionary measures against static discharges. When repairs of the production system are to be made (e.g. welding work), the section to be repaired must be essentially free of product. Protect from heat and exposure to direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.
Safe packaging materials:	No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Observe national threshold limit values.

Biological Limit Values

Observe national threshold limit values.

Appropriate Engineering Controls

Ensure suitable suction/aeration at the work place and with operational machinery. Local ventilation if necessary. see also section 7.

Individual protection measures, such as personal protective equipment

General information:	No data available.
Eye/face protection:	Safety glasses with side shields. If dust occurs: basket-shaped glasses.

Hand Protection:	Additional Information: Wear protective gloves made of the following materials: material, rubber, leather. Additional Information: The data about break through time/strength of material is not valid for undissolved solids/dust.
Other:	No special protective equipment required.
Respiratory Protection:	No special protective equipment required. If dust occurs: Dust mask with P2 particle filter
Hygiene measures:	When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state:	solid
Form:	Powder
Color:	White
Odor:	Odorless
Odor Threshold:	Not applicable
Melting Point:	Not applicable Decomposition
Boiling Point:	Not applicable Decomposition
Flammability:	No data available.

Upper/lower limit on flammability or explosive limits

Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Flash Point:	Not applicable (solid)
Auto-ignition temperature:	Approximate 460 °C/860 °F Method: VDI 2263
Decomposition Temperature:	> 300 °C/> 572 °F

pH:	4 - 6 40 g/l 20 °C/68 °F 1: 1 in suspension
------------	--

Viscosity

Dynamic viscosity:	Not applicable (solid)
Kinematic viscosity:	Not applicable (solid)
Flow Time:	No data available.

Solubility(ies)

Solubility in Water:	> 1 mg/l
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable
Vapor pressure:	Not applicable
Relative density:	No data available.
Density:	Approximate 2 g/cm ³ 20 °C/68 °F
Bulk density:	No data available.
Vapor density (air=1):	Not applicable

Other information

Explosive properties:	Not to be expected in view of the structure
Peroxides:	Not applicable
Dust explosion properties:	Not dust explosive
Evaporation Rate:	Not applicable
Minimum ignition energy:	> 10 kJ Method: VDI 2263

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	No hazardous reactions are known if properly handled and stored.
Conditions to avoid:	Hydrophobic properties disappear at temperatures > 300°C
Incompatible Materials:	None known.
Hazardous Decomposition Products:	No decomposition if stored and applied as directed. Stable under normal conditions. Product will not undergo hazardous polymerization.

11. Toxicological information

General information: Silicosis or other product specific illnesses of the respiratory tract were not observed in association with the product.

Information on likely routes of exposure

Inhalation: Information on effects are given below.

Skin Contact: Information on effects are given below.

Eye contact: Information on effects are given below.

Ingestion: Information on effects are given below.

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50, Rat, Female, Male, > 5,000 mg/kg, OECD 401, (analogy)

Components:
 Silicones and siloxanes, dimethyl-, reaction products with silica LD 50, Rat, Female, Male, > 5,000 mg/kg, OECD 401, (analogy)
 octamethylcyclotetrasiloxane LD 50, Rat, Male, > 5,000 mg/kg, OECD 401

Dermal

Product: LD 50, Rabbit, > 5,000 mg/kg, (analogy)

Components:
 Silicones and siloxanes, dimethyl-, reaction products with silica LD 50, Rabbit, > 5,000 mg/kg, (analogy)
 octamethylcyclotetrasiloxane LD 50, Rat, Female, Male, > 5,000 mg/kg, OECD 402

Inhalation

Product: LC 50, Rat, Female, Male, 4 h, > 5.01 mg/l, OECD 436, Dust and mist, (analogy)

Components:
 Silicones and siloxanes, dimethyl-, reaction products with silica LC 50, Rat, Female, Male, 4 h, > 5.01 mg/l, Dust and mist, OECD 436, (analogy)
 Vapour, Not toxic after single exposure, Not applicable
 octamethylcyclotetrasiloxane LC 50, Rat, Female, Male, 4 h, 36 mg/l, OECD 403, Vapour
 Not toxic after single exposure, Dust and mist, No data available.

Repeated dose toxicity

Product: NOAEL Rat, Male, Oral, 28 day, 7 days a week, >= 1,000 mg/kg, No negative effects. (analogy)

Components:
 Silicones and siloxanes, dimethyl-, reaction products with silica NOAEL Rat, Male, Oral, 28 day, 7 days a week, >= 1,000 mg/kg, No negative effects. (analogy)
 octamethylcyclotetrasiloxane NOAEC, Rat, Female, Male, Inhalation, Vapour, 5 days/weeks, 6 hours/day, 1.8 mg/l, Subchronic toxicity
 LOAEC, Rat, Female, Male, Inhalation, Vapour, 5 days/weeks, 6 hours/day, 8.5 mg/l, chronic
 NOAEC, Rat, Female, Male, Inhalation, Vapour, 5 days/weeks, 6 hours/day, 0.36 mg/l, Subacute toxicity

Skin Corrosion/Irritation

Product: OECD 404, (Rabbit), Not irritating, (analogy)

Components:
 Silicones and siloxanes, dimethyl-, reaction products with silica Not irritating, OECD 404, Rabbit, (analogy)

octamethylcyclotetrasiloxane Not irritating, OECD 404, Rabbit

Serious Eye Damage/Eye Irritation

Product: analogous OECD method, Rabbit, Not irritating, (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica Not irritating, analogous OECD method, Rabbit, (analogy)

octamethylcyclotetrasiloxane Not irritating, OECD 405, Rabbit

Respiratory or Skin Sensitization

Product: Local Lymph Node Assay (LLNA), OECD 429, Mouse, Not a skin sensitizer., (analogy)
 Maximization Test, OECD 406, Guinea Pig, Not a skin sensitizer., (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica Local Lymph Node Assay (LLNA), OECD 429, Mouse, Not a skin sensitizer., (analogy)
 Maximization Test, OECD 406, Guinea Pig, Not a skin sensitizer., (analogy)

octamethylcyclotetrasiloxane Magnussona i Kligmana., OECD 406, Rabbit, Not a skin sensitizer.
 Sensitization test, Human, Not a skin sensitizer.
 Maximization Test, OECD 406, Guinea Pig, Not a skin sensitizer.

Carcinogenicity

Product: No evidence that cancer may be caused.

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica No evidence that cancer may be caused.

octamethylcyclotetrasiloxane No data available.

Germ Cell Mutagenicity

no evidence of mutagenic effects

In vitro

Product: gene mutation test, OECD 471: , negative, (analogy)
 gene mutation test, OECD 490: , negative, (analogy)
 Chromosomal aberration, OECD 473: , negative, (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica gene mutation test, OECD 471: , negative, (analogy)
 gene mutation test, OECD 490: , negative, (analogy)
 Chromosomal aberration, OECD 473: , negative, (analogy)

octamethylcyclotetrasiloxane Ames test, OECD 471: , negative
 Chromosomal aberration, OECD 473: , negative
 gene mutation test, OECD 476: , negative

In vivo

Product: Chromosomal aberration, OECD 475, Oral, Rat, Male, negative, (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica octamethylcyclotetrasiloxane Chromosomal aberration, OECD 475, Oral, Rat, Male, negative, (analogy)

Micronucleus test, OECD 474, Inhalation - vapor, Rat, negative
 Chromosomal aberration, OECD 478, Oral, Rat, negative
 Chromosomal aberration, OECD 475, Inhalation - vapor, Rat, Female, Male, negative

Reproductive toxicity

Product: no evidence of reproductiontoxic properties

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica octamethylcyclotetrasiloxane no evidence of reproductiontoxic properties

Suspected of damaging fertility or the unborn child. Suspected of damaging fertility.

Specific Target Organ Toxicity - Single Exposure

Product: no evidence for hazardous properties

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica octamethylcyclotetrasiloxane no evidence for hazardous properties

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: no evidence for hazardous properties

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica octamethylcyclotetrasiloxane no evidence for hazardous properties

No data available.

Aspiration Hazard

Product: Not applicable

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica octamethylcyclotetrasiloxane Not applicable

Not classified

Information on health hazards
Other hazards

Product: Based on available data, the classification criteria are not met.;

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC 50, (Brachydanio rerio), 96 h, > 10,000 mg/l OECD 203, The reported toxic effects relate to the nominal concentration. (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica LC 50, (Brachydanio rerio), 96 h, > 10,000 mg/l OECD 203, The reported toxic effects relate to the nominal concentration. (analogy)

octamethylcyclotetrasiloxane LC 50, Oncorhynchus mykiss, 96 h, > 22 µg/l US-EPA-method
 NOEC, Oncorhynchus mykiss, 96 h, 22 µg/l US-EPA-method

Aquatic Invertebrates

Product: EC 50, Daphnia magna, 24 h, > 1,000 mg/l OECD 202, The reported toxic effects relate to the nominal concentration. (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica EC 50, Daphnia magna, 24 h, > 1,000 mg/l OECD 202, The reported toxic effects relate to the nominal concentration. (analogy)

octamethylcyclotetrasiloxane NOEC, Daphnia magna, 48 h, 15 µg/l US-EPA-method
 EC 50, Daphnia magna, 48 h, > 15 µg/l US-EPA-method

Toxicity to Aquatic Plants

Product: EC 50 (Desmodesmus subspicatus (green algae), 72 h): > 173 mg/l (OECD 201) (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica EC 50 (Desmodesmus subspicatus (green algae), 72 h): > 173 mg/l (OECD 201) (analogy)

octamethylcyclotetrasiloxane EC 50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 22 µg/l (US-EPA-method)
 EC 50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 22 µg/l (US-EPA-method)

Toxicity to microorganisms

Product: EC 50, local activated sludge, 3 h, > 2,500 mg/l, OECD 209, (analogy)

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica EC 50, local activated sludge, 3 h, > 2,500 mg/l, OECD 209, (analogy)

octamethylcyclotetrasiloxane No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Components:

octamethylcyclotetrasiloxane No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: Not to be expected.

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica Not to be expected.
octamethylcyclotetrasiloxane No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Not applicable

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica , Not applicable
octamethylcyclotetrasiloxane 6.488, 25.1 °C, OECD 123

Mobility in soil:

Product No remarkable mobility in soil is to be expected.

Components:

Silicones and siloxanes, dimethyl-, reaction products with silica No remarkable mobility in soil is to be expected.
octamethylcyclotetrasiloxane No data available.

Other adverse effects:

Other hazards

Product: Harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal methods: Review all local, state and federal regulations concerning health and pollution for appropriate disposal procedures.

Contaminated Packaging: Offer rinsed packaging material to local recycling facilities. Other countries: observe the national regulations.

14. Transport information

ADG

Not regulated as a dangerous good

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. Regulatory information

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

16. Other information, including date of preparation or last revision

Issue Date: 07.05.2020

Version #: 2.7

Abbreviations and acronyms:

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the

Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further Information: No data available.

Revision Information: Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer: This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.