

Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

SAFETY DATA SHEET

1. Identification

Product identifier: Dynasylan® 1124

Chemical name: Bis(trimethoxysilylpropyl)amine

Other means of identification

Recommended use: For industrial use

Coupling agent Crosslinking agents Surface modifier

Recommended restrictions: Not determined.

Manufacturer/Importer/Distributor Information

Company Name : Evonik Australia Pty Ltd

Suites 33&37 1 Ricketts Road

Mt Waverley, VIC 3149

Australia

Telephone : +61 3 8581 8400

Fax : +61 3 9544 5002 E-mail : sds-hu@evonik.com

Emergency telephone number:

24-Hour Health : +61 2 9037 2994

Emergency

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Classification according to GHS

Health Hazards

Serious Eye Damage/Eye Irritation Category 1

Label Elements

Hazard Symbol:



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023



Signal Word: Danger

Hazard Statement: Causes serious eye damage.

Precautionary Statements

Prevention: Wear eye protection/face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call

a POISON CENTER or doctor/physician.

Other hazards: No data available.

3. Composition/information on ingredients

Chemical name:

Bis(trimethoxysilylpropyl)amine

Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Bis(trimethoxysilylpropyl)amine		82985-35-1	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition information of impurities and stabilizers

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
methanol	No data available.	67-56-1	<0.3%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Description of first aid measures

General information: Immediately remove contaminated clothing.

Inhalation: If aerosol or mists are formed: Move to fresh air. Get medical

attention if any discomfort continues.

Skin Contact: Wash off immediately with plenty of water. If skin irritation

persists, call a physician.

Eye contact: With eye held open, thoroughly rinse immediately with plenty of

water for at least 10 minutes. Continue rinsing process with eye rinsing solution. Protect unharmed eye. Call ambulance. (Cue: caustic burn of the eyes) Immediate further treatment in eye clinic/by eye doctor. continue rinsing eye until arrival at

ophthalmic hospital.

Ingestion: Have the mouth rinsed with water. Only when patient fully

conscious: Have patient drink plenty of water in small sips. Get

medical attention immediately.

Personal Protection for First-aid

Responders:

No data available.

Most important symptoms and effects, both acute and delayed

Symptoms: After absorbing large amounts of substance: Liberation of

reaction products (Methanol) can lead to symptoms of poisoning. Possible signs of poisoning: daze, dizziness, nausea, colicky abdominal pain, respiratory disturbance. Symptoms upon

increasing intoxication: dysopia, loss of eyesight.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: If required, therapy of irritative effect. Treatment Early endoscopy

in order to assess mucosa lesions in the oesophagus and stomach which may appear. If necessary, aspirate leftover substance. Detection of substance (Methanol) possible in: Blood

Antidote treatment: ethanol.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media: High volume water jet.

Special hazards arising from the

substance or mixture:

Hazardous fumes in fires, specific to the product: Nitrogen

Oxides

Special protective equipment and precautions for firefighters



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Special fire fighting procedures: Water used to extinguish fire should not enter drainage

systems, soil or stretches of water. Ensure there are sufficient retaining facilities for water used to extinguish fire. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-

fighters:

In case of fire: wear a self contained respiratory apparatus

6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Use personal protective equipment. Avoid contact with skin

and eves.

Accidental release measures: No data available.

Methods and material for containment and cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Fill into marked, sealable containers. To be disposed of in compliance with

existing regulations.

Environmental Precautions: Do not allow entrance in sewage water, soil stretches of

water, groundwater, drainage systems.

7. Handling and storage

Handling

Technical measures: No data available.

Local/Total ventilation: Provide for good ventilation if vapours/aerosols are formed.

Safe handling advice: Provide good ventilation or extraction. Handle in accordance

with good industrial hygiene and safety practice.

Contact avoidance measures: No data available.

Storage

Safe storage conditions: The product has an intermediate conductivity (static

conductivity 100-10,000 pS/m) Liquids with a low

conductivity (static conductivity < 100 pS/m) or intermediate conductivities (static conductivity 100 pS/m - 10,000 pS/m) might become electrostatically charged and thus present potential sources ignition. Germany: Technical Rules for Hazardous Substances - Prevention of the Risk of Ignition as a Result of Electrostatic Charges EU: NFPA 77, Recommended Practice on Static Electricity Normal measures for preventive fire protection. Keep containers tightly closed in a cool, well-ventilated place. Protect from

moisture.



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Safe packaging materials:No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Observe national threshold limit values.

Biological Limit Values

Chemical name Parameters / Sampling Time	Exposure Limit Values	Source
--	-----------------------	--------

Appropriate Engineering Controls

Provide for good ventilation if vapours/aerosols are formed.

Individual protection measures, such as personal protective equipment (PPE)

General information: No data available.

Eye/face protection: close-fitting protective goggles (e.g. closed goggles)

Hand Protection: Material: Butyl rubber.

Break-through time: >= 480 min Glove thickness: 0.5 mm

Material: Fluorinated rubber (Viton)

Break-through time: >= 480 min Glove thickness: 0.4 mm

Additional Information: Selection of protective gloves to meet the requirements of specific workplaces., The suitability for a specific workplace should be discussed with the producers of the protective gloves., The information is based on our own tests, references from the literature and information from glove manufacturers, or derived by analogy with similar materials., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g., temperature).

Other: No data available.

Respiratory Protection: In case of dusts/vapours/aerosols being formed or if the limit

values like TLV are exceeded: use respiratory equipment with suitable filter (filter type ABEK) or wear a self contained respiratory apparatus Use only respiratory protection equipment with CE-symbol including four digit test number. The filter class for the respirator must be suitable for the

maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Note time limit

for wearing respiratory protective equipment.



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Hygiene measures: When using, do not eat, drink or smoke. Wash face and/or

hands before break and end of work. Immediately remove contaminated clothing. Wash contaminated clothing before

reuse.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid

Color: colorless to yellow

Odor: amine-like

Odor Threshold:

No data available.

Freezing point:

<-38.0 °C/< -36.4 °F
Method: ISO 3841

Boiling Point: 285.0 - 288.0 °C/545.0 - 550.4 °F

1,013 hPa

Method: ASTM D-1120

Flammability: not flammable Upper/lower limit on flammability or explosive limits

Explosive limit - upper:

Explosive limit - lower:

No data available.

No data available.

> 100 °C/> 212 °F

Method: DIN EN ISO 2719

Auto-ignition temperature: 270 °C/518 °F

Method: DIN 51794

Decomposition Temperature:No data available. **pH:**No data available.

Viscosity

Dynamic viscosity: 6.5 mPa.s

20 °C/68 °F

Method: DIN 53015

Kinematic viscosity: 5.7 mm2/s

20 °C/68 °F

Flow Time: No data available.

Solubility(ies)

Solubility in Water: decomposition by hydrolysis

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Vapor pressure: 0.1 hPa

20 °C/68 °F

Method: ASTM D 2879-86



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Relative density: No data available.

Density: 1.04 g/cm3

20 °C/68 °F

Method: DIN 51757

Bulk density: No data available.

Relative vapor density: No data available.

Other information

Explosive properties:Not explosive

Pyrophoric properties:
270 °C/518 °F
998.3 - 1,019.0 hPa

Method: EEC method 92/69/EEC, A 15

Peroxides: Not applicable

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal

use.

Chemical Stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: Protect from moisture.

Incompatible Materials: Alcohols. Alkalies. Acids. humid air and water

Hazardous Decomposition

Products: hvdr

Methanol in case of hydrolysis. Alcohol formed by hydrolysis lowers the flash point of the product.

11. Toxicological information

Information on likely routes of exposure

Inhalation: Information on effects are given below.

Skin Contact: Information on effects are given below.

Eye contact: Information on effects are given below.

Ingestion: Information on effects are given below.

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50, Rat, Female, Male, > 2,000 mg/kg, OECD 401, Not toxic after

single exposure

Components:

Bis(trimethoxysilylpropyl)

Not toxic after single exposure, No classification

amine

methanol LD 50, Rat, 100 mg/kg



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Dermal

Product: LD 50, Rabbit, Male, 16,800 mg/kg, OECD 402

LD 50, Rabbit, Female, 11,865 mg/kg, OECD 402

Components:

Bis(trimethoxysilylpropyl) LD 50, Rabbit, Male, 16,800 mg/kg, OECD 402 amine LD 50, Rabbit, Female, 11,865 mg/kg, OECD 402

methanol LD 50, Rat, 300 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Components:

amine methanol

Bis(trimethoxysilylpropyl) Dust and mist, Not toxic after single exposure, No data available.

Vapour, Not toxic after single exposure, No data available.

LC 50, Acute toxicity estimate, 4 h, 3 mg/l, Vapour

LC 50, Acute toxicity estimate, 4 h, > 0.5 mg/l, Dust and mist

Repeated dose toxicity

Product: NOAEL Rat, Female, Male, Oral, 28 day, 7 days a week, 1,000 mg/kg

Components:

Bis(trimethoxysilylpropyl)

NOAEL Rat, Female, Male, Oral, 28 day, 7 days a week, 1,000 mg/kg

amine

methanol No data available.

Skin Corrosion/Irritation

Product: Not irritating, OECD 404, (Rabbit)

Components:

Bis(trimethoxysilylpropyl)a Not irritating, OECD 404, Rabbit

mine

methanol Not irritating, Rabbit, Literature

Serious Eye Damage/Eye Irritation

Product: Risk of serious damage to eyes., OECD 405, Rabbit

Components:

Bis(trimethoxysilylpropyl)a Risk of serious damage to eyes., OECD 405, Rabbit

mine

methanol Not irritating, Rabbit

Respiratory or Skin Sensitization

Product: Maximization Test, OECD 406, Guinea Pig, Not a skin sensitizer.

Components:

Bis(trimethoxysilylpropyl)a Maximization Test, OECD 406, Guinea Pig, Not a skin sensitizer.

mine

methanol Maximization Test, OECD 406, Guinea Pig, Not a skin sensitizer.

Carcinogenicity

Product: No evidence that cancer may be caused.

Components:

Bis(trimethoxysilylpropyl)a No evidence that cancer may be caused.

mine

methanol Not classified



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Germ Cell Mutagenicity

In vitro

Product: gene mutation test, OECD 471:, negative

Chromosomal aberration, OECD 473: , negative

Components:

Bis(trimethoxysilylpropyl)a gene mutation test, OECD 471:, negative

Chromosomal aberration, OECD 473:, negative mine

methanol Ames test, OECD 471:, negative

gene mutation test, OECD 476: , negative

Micronucleus test:, negative

In vivo

Product: Micronucleus test, OECD 474, Intraperitoneal, Mouse, Female, Male,

negative

Components:

Bis(trimethoxysilylpropyl)a Micronucleus test, OECD 474, Intraperitoneal, Mouse, Female, Male,

mine negative

methanol Micronucleus test, OECD 474, Intraperitoneal, Mouse, Female, Male,

negative

Chromosomal aberration, Intraperitoneal, Mouse, Female, Male,

negative

Reproductive toxicity

Product: No evidence of effects of reprodutive / developmental toxicity.

Components:

Bis(trimethoxysilylpropyl)a No evidence of effects of reprodutive / developmental toxicity.

mine

methanol Not classified

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Components:

Bis(trimethoxysilylpropyl)a No data available.

mine

methanol Dermal Oral Inhalation - vapor, optic nerve, Central nervous system.,

Category 1 Causes damage to organs.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Components:

Bis(trimethoxysilylpropyl)a No data available.

mine

methanol No data available.

Aspiration Hazard

Product: No evidence of aspiration toxicity

Components:

Bis(trimethoxysilylpropyl)a Not classified

mine



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

methanol Not classified

Information on health hazards

Other hazards

Product: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC 50, Oncorhynchus mykiss, 96 h, 130 mg/l OECD 203

Components:

Bis(trimethoxysilylpropyl) LC 50, Oncorhynchus mykiss, 96 h, 130 mg/l OECD 203

amine

methanol LC 50, Bluegill Sunfish, 96 h, 15,400 mg/l US-EPA-method, Literature

Aquatic Invertebrates

Product: EC 50, Daphnia magna, 48 h, > 100 mg/l OECD 202

Components:

Bis(trimethoxysilylpropyl) EC 50, Daphnia magna, 48 h, > 100 mg/l OECD 202

amine

methanol EC 50, Daphnia magna, 96 h, 18,260 mg/l OECD 202, Literature

Toxicity to Aquatic Plants

Product: EC 50 (Desmodesmus subspicatus (green algae), 72 h): > 100 mg/l

(OECD 201)

Components:

Bis(trimethoxysilylpropyl) EC 50 (Desmodesmus subspicatus (green algae), 72 h): > 100 mg/l

amine (OECD 201)

methanol EC 50 (Selenastrum capricornutum (green algae), 96 h): Approximate

22,000 mg/l (OECD 201) Literature

Toxicity to microorganisms

Product: EC 50, local activated sludge, 3 h, 1,000 mg/l, OECD 209

Components:

Bis(trimethoxysilylpropyl) EC 50, local activated sludge, 3 h, 1,000 mg/l, OECD 209

amine

methanol EC 50, activated sludge, 3 h, > 1,000 mg/l, OECD 209, Literature

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Components:

Bis(trimethoxysilylpropyl) No data available.

amine

methanol No data available.



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Aquatic Invertebrates

Product: No data available.

Components:

Bis(trimethoxysilylpropyl) No data available.

amine

methanol No data available.

Toxicity to Aquatic Plants

Product: No data available.

Components:

Bis(trimethoxysilylpropyl) No data available.

amine

methanol No data available.

Toxicity to microorganisms

Product: EC 50, local activated sludge, 3 h, 1,000 mg/l, OECD 209

Components:

Bis(trimethoxysilylpropyl) EC 50, local activated sludge, 3 h, 1,000 mg/l, OECD 209

amine

methanol EC 50, activated sludge, 3 h, > 1,000 mg/l, OECD 209, Literature

Persistence and Degradability

Biodegradation

Product: 11 - 20 %, 28 d, OECD 301 D, Not readily degradable.

Components:

Bis(trimethoxysilylpropyl)a 11 - 20 %, 28 d, OECD 301 D, Not readily degradable.

mine

methanol 98 %, 28 d, (DOC; modif. OECD screening test / OECD 301 E), Own

study The product is easily biodegradable., aerobic

BOD/COD Ratio

Product: No data available.

Components:

Bis(trimethoxysilylpropyl)a No data available.

mine

methanol No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: not bioaccumulative

Components:

Bis(trimethoxysilylpropyl)a not bioaccumulative

mine

methanol Leuciscus idus (Golden orfe), < 10, Measured, No significant

bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Components:

Bis(trimethoxysilylpropyl)a No data available.

mine



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

methanol -0.77

Mobility in soil:

Product Adsorption on the floor: low.

Components:

Bis(trimethoxysilylpropyl)a Adsorption on the floor: low.

mine

methanol soil - Log Koc: 1 calculated) Not expected to adsorb on soil.

Other adverse effects:

Other hazards

Product: The data we have at our disposal do not necessitate identification

concerning environmental hazard.

13. Disposal considerations

Disposal methods: With respect to local regulations, e.g. dispose of to suitable waste

incineration plant.

Contaminated Packaging: Do not reuse empty containers and dispose of in accordance with the

regulations issued by the appropriate local authorities. If there is product residue in the emptied container, follow directions for handling on the container's label. Incorrect disposal or reuse of this container is illegal and can be dangerous. Other countries: observe the national

regulations.

14. Transport information

ADG

Not regulated as a dangerous good

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. Regulatory information

International regulations



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

16.Other information, including date of preparation or last revision

Issue Date: 06.08.2021

Version #: 1.3

Abbreviations and acronyms:

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS -Hazardous Materials Identification System: IARC - International Agency for Research on Cancer: IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI -Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further Information: No data available.



Issue Date: 06.08.2021 Last revised date: 14.10.2024 Supersedes Date: 05.01.2023

Revision Information: Changes since the last version are highlighted in the margin. This version

replaces all previous versions.

Disclaimer: This information and all further technical advice is based on our present

knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar

products could not be used.